

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: <u>sales@everestbiotech.com</u> Tech support: <u>support@everestbiotech.com</u>

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05329-T - Goat Anti-BAK1 Antibody - Trial

Size: 20µg specific antibody in 40µl



Target Protein

Principal Names: BAK1, BCL2-antagonist/killer 1, BAK, CDN1, BCL2L7, cell death inhibitor 1, apoptosis regulator BAK, Bcl-2 homologous antagonist/killer, BAK-LIKE, MGC117255, MGC3887, BCL2-like 7 protein, pro-apoptotic protein BAK Official Symbol: BAK1 Accession Number(s): NP_001179.1 Human GeneID(s): <u>578</u> Non-Human GeneID(s): 12018 (mouse), 116502 (rat)

Immunogen

Peptide with sequence ASGQGPGPPRQE-C, from the N Terminus of the protein sequence according to NP_001179.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000. **Western blot:** Approx 25kDa band seen in A431 cell lysate. Recommended for use at 0.5-1µg/ml.

Species Reactivity

Tested: Human Expected from sequence similarity: Human, Mouse, Rat, Pig EB05329 staining (0.5µg/ml) of A431 lysate (RIPA buffer, 30µg total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.