

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford

Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB09984 - Goat Anti-CLCN2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: chloride channel 2, CIC-2, CLC2, ECA2, ECA3, EGI11, EGI3, EGMA,

EJM6, EJM8, Epilepsy, idiopathic generalized, susceptibility to, CLCN2

Official Symbol: CLCN2

Accession Number(s): NP_004357.3

Human GeneID(s): 1181

Non-Human GenelD(s): 12724 (mouse), 29232 (rat)

Important Comments: This antibody is expected to recognize all reported isoforms

(NP_004357.3; NP_001164558.1; NP_001164559.1; NP_001164560.1).

Immunogen

Peptide with sequence SEKLESCEKRKLKR, from the internal region of the protein sequence according to NP_004357.3.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:64000.

IHC: In paraffin embedded Human Uterus shows cellular membrane staining in the epithelial cells of the endometrial gland. Recommended concentration, 3-6µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat



EB09984 (3.8 μ g/ml) staining of paraffin embedded Human Uterus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.