

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB09106 - Goat Anti-Desmin Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: DES, desmin, CMD1I, CSM1, CSM2, FLJ12025, FLJ39719, FLJ41013, FLJ41793, intermediate filament protein

Official Symbol: DES

Accession Number(s): NP_001918.3

Human GeneID(s): [1674](#)

Non-Human GeneID(s): 13346 (mouse), 64362 (rat)

Immunogen

Peptide with sequence C-RDGEVVSEATQQQHE, from the C Terminus of the protein sequence according to NP_001918.3.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested


Peptide ELISA: antibody detection limit dilution 1:4000.

Western blot: Approx 55-60kDa band observed in Human, Mouse, Rat and Pig Skeletal Muscle lysates (calculated MW of 53.5kDa according to Human NP_001918.3, Mouse NP_034173.1, Rat NP_071976.1 and 53.6kDa according to Pig NP_001001535.1).
Recommended concentration: 0.3-1µg/ml. Primary incubation was 1 hour.


Species Reactivity

Tested: Human, Mouse, Rat, Pig


Expected from sequence similarity: Human, Dog, Cow




EB09106 (1µg/ml) staining of Human (A), Mouse (B), Rat (C) and Pig (D) Skeletal Muscle lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.




EB09106 (5µg/ml) staining of paraffin embedded Human Heart. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**



EB09106 (5 μ g/ml) staining of paraffin embedded Human Skeletal Muscle. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**



EB09106 (3.75 μ g/ml) staining of paraffin embedded Human Heart. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining. **This data is from a previous batch, not on sale.**



EB09106 Negative Control showing staining of paraffin embedded Human Heart, with no primary antibody. **This data is from a previous batch, not on sale.**