

## **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB06392-T - Goat Anti-FOXO3A / FOXO3 / FKHRL1 Antibody - Trial

Size: 20µg specific antibody in 40µl

## **Target Protein**

Principal Names: FOXO3A, FKHRL1, AF6q21, FKHRL1P2, MGC12739, MGC31925,

DKFZp781A0677, forkhead box O3A, forkhead (Drosophila) homolog

(rhabdomyosarcoma) like 1, forkhead, Drosophila, homolog of, in rhabdomyosarcoma-like 1, FOXO3, forkhead box O3, FOXO2, forkhead homolog (rhabdomyosarcoma) like 1,

forkhead, Drosophila, homolog of, in rhabdomyosarcoma-like 1

Official Symbol: FOXO3

Accession Number(s): NP\_001446.1

Human GeneID(s): 2309

Non-Human GenelD(s): 56484 (mouse)

Important Comments: Both variants represent identical protein (NP\_001446.1 and

NP\_963853.1).

### **Immunogen**

Peptide with sequence C-GAKQASSQSWVPG, from the C Terminus of the protein sequence according to NP\_001446.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**


Peptide ELISA: antibody detection limit dilution 1:8000.

**Western blot:** Approx 70kDa band observed in Human Heart lysates (calculated MW of 71.3kDa according to NP\_001446.1). Recommended concentration: 0.1-1  $\mu$ g/ml. Primary incubation was 1 hour.


## **Species Reactivity**

Tested: Human


Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow



EB06392 (0.3 $\mu$ g/ml) staining of Human Heart lysate (35 $\mu$ g protein in RIPA buffer) with (A) and without (B) blocking with the immunising peptide. Detected by chemiluminescence.



EB06392 (2.5 $\mu$ g/ml) staining of paraffin embedded Human Uterus. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.** 



EB06392 ( $2.5\mu g/ml$ ) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**