

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB07546 - Goat Anti-GRHR / LRHR Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

**Principal Names:** GNRHR, LRHR, gonadotropin-releasing hormone receptor, GNRHR1, GRHR, LHRHR, gonadotropin-releasing hormone (type 1) receptor 1, leutinizing hormone releasing hormone receptor, leutinizing-releasing hormone receptor, luliberin receptor,

type I GnRH receptor

Official Symbol: GNRHR

Accession Number(s): NP\_000397.1; NP\_001012781.1

Human GenelD(s): 2798

Important Comments: This antibody is expected to recognise both reported isoforms

(NP\_000397.1; NP\_001012781.1).

## **Immunogen**

Peptide with sequence C-QKWTQKKEKGK, from the internal region of the protein sequence according to NP\_000397.1; NP\_001012781.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 60kDa band observed in Human lysates of Peripheral Blood Mononucleocytes (calculated MW of 37.7kDa according to NP\_000397.1). The observed molecular weight corresponds to earlier findings with products from other commercial sources. Recommended concentration: 0.5-1.5µg/ml. Primary incubation was 1 hour.

## **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Dog



EB07546 (0.5μg/ml) staining of Human Peripheral Blood Mononucleocyte lysate (35μg protein in RIPA buffer).

Detected by chemiluminescence.