

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD
UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

**Research Use Only. Not for
diagnostic or therapeutic use.**

EB07355 - Goat Anti-GTF2IRD1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: GTF2IRD1, GTF2I repeat domain containing 1, HGNC:4661, CREAM1, GTF3, MUSTRD1, RBAP2, WBSCR11, WBSCR12, hMusTRD1alpha1, GTF2I repeat domain-containing 1, Williams-Beuren syndrome chromosome region 11, general transcription factor 3, muscle TFII-I repeat

Official Symbol: GTF2IRD1

Accession Number(s): NP_057412.1; NP_005676.2

Human GeneID(s): [9569](#)

Non-Human GeneID(s): 57080 (mouse), 246770 (rat)

Important Comments: This antibody is expected to recognise both reported isoforms (NP_057412.1 and NP_005676.2).

Immunogen

Peptide with sequence C-NKFTKDTTKLEPAS, from the internal region of the protein sequence according to NP_057412.1; NP_005676.2.

Please note the [peptide](#) is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Preliminary experiments gave bands at approx 30kDa and 40kDa in Human Heart lysate after 0.3 µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the bands we observe given the calculated size of 106kDa according to NP_057412.1 and NP_005676.2. Both detected bands were successfully blocked by incubation with the immunizing peptide (and BLAST results with the immunizing peptide sequence did not identify any other proteins to explain the additional bands). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates? Have any further splice variants/modified forms been reported?

Species Reactivity

Tested:

Expected from sequence similarity: Human, Mouse, Rat, Dog