

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries: info@everestbiotech.com Sales: <u>sales@everestbiotech.com</u> Tech support: <u>support@everestbiotech.com</u>

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB08424 - Goat Anti-IA2 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IA-2, protein tyrosine phosphatase, receptor type, N, FLJ16131, IA-2/PTP, IA2, ICA512, R-PTP-N, islet antigen 2, islet cell antigen 512, islet cell autoantigen 3, protein tyrosine phosphatase-like N Official Symbol: PTPRN Accession Number(s): NP_002837.1 Human GeneID(s): <u>5798</u> Non-Human GeneID(s): 19275 (mouse), 116660 (rat)

Immunogen

Peptide with sequence C-QGEGNIKKNRHPD, from the internal region of the protein sequence according to NP_002837.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide. Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:16000. **Western blot:** Approx 110kDa band observed in lysates of cell line NIH 3T3 (calculated MW of 106kDa according to Human NP_002837.1 and Mouse NP_033011.2). Recommended concentration: 0.5-1.5µg/ml.

Species Reactivity

Tested: Mouse Expected from sequence similarity: Human, Mouse, Rat EB08424 (0.5µg/ml) staining of NIH 3T3 lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.