

## UK Office

### Everest Biotech Ltd

Cherwell Innovation Centre  
77 Heyford Park  
Upper Heyford  
Oxfordshire  
OX25 5HD  
UK

Enquiries:

[info@everestbiotech.com](mailto:info@everestbiotech.com)

Sales:

[sales@everestbiotech.com](mailto:sales@everestbiotech.com)

Tech support:

[support@everestbiotech.com](mailto:support@everestbiotech.com)

Tel: +44 (0)1869 238326

[www.everestbiotech.com](http://www.everestbiotech.com)

**Research Use Only. Not for  
diagnostic or therapeutic use.**

## EB06233 - Goat Anti-KPNA2 / IPOA1 Antibody

Size: 100µg specific antibody in 200µl



### Target Protein

**Principal Names:** KPNA2, IPOA1, RCH1, SRP1alpha, karyopherin alpha 2 (RAG cohort 1, importin alpha 1), RAG cohort 1, importin alpha 1, importin alpha 2, importin-alpha-P1, karyopherin subunit alpha-2, pendulin, importin subunit alpha-2, QIP2, RAG cohort protein 1, SRP1-alpha

**Official Symbol:** KPNA2

**Accession Number(s):** NP\_002257.1

**Human GeneID(s):** [3838](#)

**Non-Human GeneID(s):** 16647 (mouse), 85245 (rat)

### Immunogen

Peptide with sequence C-QVQDGAPGTFNF, from the C Terminus of the protein sequence according to NP\_002257.1.

Please note the [peptide](#) is available for sale.

### Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### Applications Tested

**Peptide ELISA:** antibody detection limit dilution 1:32000.

**Western blot:** Approx 55kDa band observed in lysates of cell line HeLa (calculated MW of 57.9kDa according to NP\_002257.1). Recommended for use at 0.03-0.1µg/ml. Primary incubation was 1 hour.

### Species Reactivity

**Tested:** Human

**Expected from sequence similarity:** Human, Mouse, Rat, Dog

EB06233 staining (0.03µg/ml) of HeLa lysate (RIPA buffer, 35µg total protein per lane). Detected by chemiluminescence.

EB06233 staining (top panel and green) of 4% formaldehyde-fixed HeLa with endogenously expressed HistoneH2B-GFP fusion as DNA marker (mid panel and red). Data kindly provided by Francisco Iborra, MRC Mol. Haematol. Unit, Oxford. **This data is from a previous batch, not on sale.**