

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06578 - Goat Anti-MBL2 / Mannan-Binding Lectin Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: MBL2, mannan-binding lectin, MBL, MBP, MBP1, COLEC1, HSMBPC, mannose-binding lectin (protein C) 2, soluble (opsonic defect), mannan-binding protein, mannose binding protein, Mannose-binding lectin 2, soluble (opsonic defect)

Official Symbol: MBL2

Accession Number(s): NP_000233.1

Human GeneID(s): 4153

Immunogen

Peptide with sequence STSHLAVCEFPI, from the C Terminus of the protein sequence according to NP_000233.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:4000.

Western blot: Approx 26kDa band observed in Human Heart and Human Kidney lysates (calculated MW of 26.1kDa according to NP_000233). Recommended concentration: 1-3μg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human

250kDa 150kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa

EB06578 (1 μ g/ml) staining of Human Heart lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.