

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB05965 - Goat Anti-MDA5 / IFIH1 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: IFIH1, MDA5, MDA-5, Hlcd, MGC133047, IDDM19, melanoma differentiation associated protein-5, DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide,

interferon induced with helicase C domain 1, helicard

Official Symbol: IFIH1

Accession Number(s): NP_071451.2

Human GeneID(s): 64135

Immunogen

Peptide with sequence SNGYSTDENFRYL-C, from the N Terminus of the protein sequence according to NP_071451.2.

Please note the <u>peptide</u> is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

IHC: In paraffin embedded Human Pancreas, shows strong cytoplasmic staining of some cells in the islets of Langerhans. Recommended concentration: 10ug/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human

Specific Reference

This antibody has been successfully used in WB in Human:

Sato S, Hoshino K, Satoh T, Fujita T, Kawakami Y, Fujita T, Kuwana M.

RNA helicase encoded by melanoma differentiation-associated gene 5 is a major autoantigen in patients with clinically amyopathic dermatomyositis: Association with rapidly progressive interstitial lung disease.

Arthritis Rheum. 2009 Jul;60(7):2193-200.

PMID: 19565506

EB05965 (10µg/ml) staining of paraffin embedded Human Pancreas. Microwaved antigen retrieval with Tris/EDTA buffer pH9, HRP-staining.