

UK Office

Everest Biotech Ltd Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com Sales: sales@everestbiotech.com Tech support: support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07663 - Goat Anti-Neuroligin 2 Antibody

Size: 100µg specific antibody in 200µl

Target Protein

Principal Names: neuroligin 2, KIAA1366, NLGN2 Official Symbol: NLGN2 Accession Number(s): NP_065846.1 Human GeneID(s): <u>57555</u> Non-Human GeneID(s): 216856 (mouse), 117096 (rat)

Immunogen

Peptide with sequence C-NPPDTDIRDPGKK, from the internal region of the protein sequence according to NP_065846.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:4000.

Western blot: Approx 90kDa band observed in Human Pancrease lysates (calculated MW of 90.8kDa according to NP_065846.1). Recommended concentration: 2-6µg/ml. Primary incubation was 1 hour. Preliminary testing was unsuccessful on Mouse and Rat Brain for this particular batch.


Species Reactivity

Tested: Human Expected from sequence similarity: Human, Mouse, Rat, Dog


Specific Reference

This antibody has been successfully used in the following paper: Zelano J, Berg A, Thams S, Hailer NP, Cullheim S. SynCAM1 expression correlates with restoration of central synapses on spinal motoneurons after two different models of peripheral nerve injury. J Comp Neurol. 2009 Dec 10;517(5):670-82. PMID: 19827159





EB07663 (2µg/ml) staining of Human Pancrease lysate (35µg protein in RIPA buffer). Detected by chemiluminescence.



EB07663 (5µg/ml) staining of paraffin embedded Human Adrenal Gland. Steamed antigen retrieval with citrate buffer pH 6, AP-staining. **This data is from a previous batch, not on sale.**