

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire

OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB07234 - Goat Anti-PERP Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: PERP, PERP, TP53 apoptosis effector, HGNC:17637, KCP1,

KRTCAP1, PIGPC1, THW, dJ496H19.1, 1110017A08Rik, RP3-496H19.1, keratinocytes

associated protein 1, p53-induced protein PIGPC1

Official Symbol: PERP

Accession Number(s): NP_071404.2

Human GenelD(s): 64065

Non-Human GenelD(s): 64058 (mouse), 292949 (rat)

Immunogen

Peptide with sequence CLPNYEDDLLGNAK, from the C Terminus of the protein

sequence according to NP_071404.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity

 $chromatography\ using\ the\ immunizing\ peptide.$

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum

albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:64000.

Western blot: Approx 20kDa band observed in Human Liver lysates (calculated MW of

21.4kDa according to NP_071404.2). Recommended concentration: 1-3μg/ml. **IHC:** Paraffin embedded Human Skin. Recommended concentration: 5μg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog

250kDa 150kDa 100kDa 75kDa


50kDa

37kDa

25kDa 20kDa

15kDa

EB07234 ($1\mu g/ml$) staining of Human Liver lysate ($35\mu g$ protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.



EB07234 (5μg/ml) staining of paraffin embedded Human Skin. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.