

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05230 - Goat Anti-PPP2CA / PPP2CB Antibody

Size: 100µg specific antibody in 200µl



## **Target Protein**

**Principal Names:** PPP2CA, protein phosphatase 2 (formerly 2A), catalytic subunit, alpha isoform, PP2Ac, PP2CA, RP-C, PP2A-alpha, protein phosphatase 2, catalytic subunit, alpha isoform, replication protein C, serine/threonine protein phosphatase 2A, catalytic subunit, alpha isoform, serine/threonine-protein phosphatase 2A catalytic subunit alpha isoform, PPP2CB, protein phosphatase 2 (formerly 2A), catalytic subunit, beta isoform, PP2CB, PP2A-beta, protein phosphatase 2, catalytic subunit, beta isoform, protein phosphatase type 2A catalytic subunit, serine/threonine protein phosphatase 2A, catalytic subunit, beta isoform

Official Symbol: PPP2CA / PPP2CB

Accession Number(s): NP\_002706.1; NP\_004147.1

Human GenelD(s): 5515, 5516

Non-Human GenelD(s): 19052 (mouse), 24672 (rat)

Important Comments: Two variants NP\_001009552.1 and NP\_004147.1 represent

identical protein.

## Immunogen

Peptide with sequence C-EPHVTRRTPDYFL, from the C Terminus of the protein sequence according to NP\_002706.1; NP\_004147.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

### **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:32000.

**Western blot:** Approx 36kDa band observed in Human Brain (Cerebellum), Mouse, Rat and Pig Brain lysates (calculated MW of 35.6kDa according to Human NP\_002706.1, Mouse NP\_062284.1, Rat NP\_058735.1 and Pig NP\_999531.1). Recommended concentration: 0.05-0.2μg/ml.

### **Species Reactivity**

Tested: Human, Mouse, Rat, Pig

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

EB05230 (0.05µg/ml) staining of Human Cerebellum lysate (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.

EB05230 (0.1µg/ml) staining of Mouse (A), Rat (B) and Pig (C) Brain lysates (35µg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.