

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB11851 - Goat Anti-RPL23 Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: 60S ribosomal protein L17, 60S ribosomal protein L23, L23,

MGC111167, MGC117346, MGC72008, OTTHUMP00000164151,

OTTHUMP00000164153, ribosomal protein L17, ribosomal protein L23, rpL17, RPL23

Official Symbol: RPL23

Accession Number(s): NP_000969.1

Human GeneID(s): 9349

Non-Human GenelD(s): 65019 (mouse), 29282 (rat)

Immunogen

Peptide with sequence KECADLWPRIASN, from the C Terminus of the protein sequence according to NP_000969.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:128000.

Western blot: Approx 16kDa band observed in lysates of Human Colorectal Cancer and of cell lines NIH3T3 and HeLa (calculated MW of 14.9kDa according to NP_000969.1). Recommended concentration: 0.1-0.3µg/ml. Primary incubation was 1 hour.

IHC: Paraffin embedded Human Tonsil and Liver. Recommended concentration: 5µg/ml.


Species Reactivity

Tested: Human, Mouse


Expected from sequence similarity: Human, Mouse, Rat, Pig, Cow

250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa

EB11851 (0.1 μ g/ml) staining of Human Colorectal Cancer lysate (35 μ g protein in RIPA buffer). Detected by chemiluminescence.



EB11851 (5μg/ml) staining of paraffin embedded Human Tonsil. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



EB11851 ($5\mu g/ml$) staining of paraffin embedded Human Liver. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.