

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB06868-B - Goat Anti-SDHB, Biotinylated Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: SDHB, succinate dehydrogenase complex, subunit B, iron sulfur (lp), CWS2, IP, PGL4, SDH, SDH1, SDH2, SDHIP, iron-sulfur subunit of complex II, FLJ92337

Official Symbol: SDHB

Accession Number(s): NP_002991.2

Human GeneID(s): 6390

Immunogen

Peptide with sequence C-ATYKEKKASV., from the C Terminus of the protein sequence according to NP_002991.2.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 28kDa band observed in Human Liver lysates (calculated MW of 31.6kDa according to NP_002991.1). See non-biotinylated parental product's datasheet for further QC data. Recommended concentration: 0.1-0.3µg/ml.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



Biotinylated EB06868 (0.2µg/ml) staining of Human Liver lysate (35µg protein in RIPA buffer), exactly mirroring its parental non-biotinylated product. Primary incubation was 1 hour. Detected by chemiluminescence, using streptavidin-HRP and using NAP blocker as a substitute for skimmed milk.