

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre
77 Heyford Park
Upper Heyford
Oxfordshire
OX25 5HD

Enquiries:

info@everestbiotech.com

Sales:

UK

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB09862 - Goat Anti-STAT4 (aa 369-383) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: OTTHUMP00000163553, signal transducer and activator of

transcription 4, SLEB11, STAT4

Official Symbol: STAT4

Accession Number(s): NP_003142.1

Human GeneID(s): 6775

Immunogen

Peptide with sequence TLSNRRFVLCGTNVK, from the internal region of the protein sequence according to NP_003142.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:1000.


Western blot: In transfected HEK293 transiently expressing full-length Human STAT4 (MYC and DYKDDDDK tagged), a band of approx.85kDa was observed. No bands were observed in mock-transfected HEK293 and the same band was observed using anti-myc tag antibody. Recommended concentration, 0.5-1µg/ml.

Purchase the +ve control! The transfected lysate used in QC is available for sale. Please email sales@everestbiotech.com to request datasheet, pricing and delivery information.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human



HEK293 lysate (10ug protein in RIPA buffer) overexpressing Human STAT4 (RC206892) with C-terminal MYC tag probed with EB09862 (1ug/ml) in Lane A and probed with anti-MYC Tag (1/1000) in lane C.

Mock-transfected HEK293 probed with EB09862 (1mg/ml) in Lane B. Primary incubations were for 1 hour.

Detected by chemiluminescence.