

#### **UK Office**

**Everest Biotech Ltd** 

Cherwell Innovation Centre

77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

**Enquiries:** 

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB09108 - Goat Anti-TDP-43 Antibody

Size: 100µg specific antibody in 200µl



**Target Protein** 

Principal Names: TARDBP, TAR DNA binding protein, ALS10, TDP-43,

OTTHUMP0000002171, TAR DNA-binding protein-43

Official Symbol: TARDBP

Accession Number(s): NP\_031401.1

Human GenelD(s): 23435

Non-Human GenelD(s): 230908 (mouse)

#### **Immunogen**

Peptide with sequence C-HISNAEPKHNSNRQ, from the internal region of the protein sequence according to NP\_031401.1.

Please note the peptide is available for sale.

## **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:16000.

**Western blot:** Approx. 45kDa band observed in lysates of cell lines Jurkat (calculated MW of 44.7kDa according to NP\_031401.1). A slightly larger protein is detected in some regions of the Brain. Recommended concentration: 0.3-1μg/ml.

### **Species Reactivity**

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog, Pig, Cow

EB09108 (0.3μg/ml) staining of Jurkat lysate (35μg protein in RIPA buffer). Primary incubation was 1 hour.

Detected by chemiluminescence.

EB09108 (1μg/ml) staining of Human Cerebellum (A), Frontal Cotex (B) and Hippocampus (C) lysates (35μg protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.