

#### **UK Office**

#### **Everest Biotech Ltd**

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

# EB05119 - Goat Anti-Tensin 1 / TNS1 Antibody

Size: 100µg specific antibody in 200µl



#### **Target Protein**

**Principal Names:** TNS1, tensin 1, TNS, tensin, MGC88584, PRO0929, FLJ10923, DKFZP434G162, MSTP091, DKFZp586K0617, MST091, MST122, MST127, MSTP122, MSTP127, MXRA6, Matrix-remodelling-associated protein 6, matrix-remodelling

associated 6, tensin

Official Symbol: TNS1

Accession Number(s): NP\_072174.3

Human GeneID(s): 7145

Non-Human GenelD(s): 21961 (mouse), 301509 (rat)

## Immunogen

Peptide with sequence C-VSKVMLNAGQKR, from the C Terminus of the protein sequence according to NP\_072174.3.

Please note the peptide is available for sale.

### **Purification and Storage**

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

## **Applications Tested**

Peptide ELISA: antibody detection limit dilution 1:2000.

**Western blot:** Preliminary experiments in Human Heart, Kidney and Skeletal Muscle lysates gave no specific signal but low background (at antibody concentration up to 1µg/ml). We would appreciate any feedback from people in the field - have any results been reported with other antibodies/lysates?

**IHC:** In paraffin embedded Human Kidney shows weak staining of the basement membranes of convoluted tubules. Recommended concentration, 4-6µg/ml.

# **Species Reactivity**

Tested:

Expected from sequence similarity: Human, Mouse, Rat, Dog, Cow

EB05119 (4μg/ml) staining of paraffin embedded Human Kidney. Steamed antigen retrieval with Tris/EDTA buffer pH 9, HRP-staining.