

UK Office

Everest Biotech Ltd

Cherwell Innovation Centre 77 Heyford Park Upper Heyford Oxfordshire OX25 5HD

UK

Enquiries:

info@everestbiotech.com

Sales:

sales@everestbiotech.com

Tech support:

support@everestbiotech.com

Tel: +44 (0)1869 238326

www.everestbiotech.com

Research Use Only. Not for diagnostic or therapeutic use.

EB10813 - Goat Anti-ZEB2 (aa545-558) Antibody

Size: 100µg specific antibody in 200µl



Target Protein

Principal Names: ZEB2, zinc finger E-box binding homeobox 2, FLJ42816, KIAA0569, SIP-1, SIP1, SMADIP1, ZFHX1B, OTTHUMP00000204540, Smad-interacting protein 1, zinc finger E-box-binding homeobox 2, zinc finger homeobox 1b, zinc finger homeobox protein 1

Official Symbol: ZEB2

Accession Number(s): NP_055610.1; NP_001165124.1

Human GeneID(s): 9839

Non-Human GenelD(s): 24136 (mouse), 311071 (rat)

Important Comments: This antibody is expected to recognize both reported isoforms

(NP_055610.1; NP_001165124.1).

Immunogen

Peptide with sequence C-TDSRRQISNIKKEK, from the internal region of the protein sequence according to NP_055610.1; NP_001165124.1.

Please note the peptide is available for sale.

Purification and Storage

Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin.

Aliquot and store at -20°C. Minimize freezing and thawing.

Applications Tested

Peptide ELISA: antibody detection limit dilution 1:32000.

Western blot: Approx 100+38kDa bands observed in Human Liver lysates (calculated MW of 136kDa according to NP_055610.1). Recommended concentration: 0.2-0.5μg/ml. We believe the two observed bands represent two breakdown fragments.

Species Reactivity

Tested: Human

Expected from sequence similarity: Human, Mouse, Rat, Dog

EB10813 (0.2 μ g/ml) staining of Human Liver lysate (35 μ g protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence.